


### Highlights:

- Elegant design to blend in with any environment
- Compatible with EU (80x80 mm) installation materials
- Stepless analogue voltage regulation
- Pluggable terminal block connection
- Compatible with a variety of AUDAC products

### Product information:

The WP200 is a remote volume controller which can be stepless regulated over an applied voltage level, allowing volume regulation for a variety of devices. It is compatible with various products working with an analogue input voltage. The front panel is finished with high-grade materials such as hardened glass making them blend into any environment. These wall panels are compatible with standard EU style wall boxes, making them the ideal solution for solid and hollow walls.



### System specifications:

Inputs	Connector	Euro Terminal Block
--------	-----------	---------------------

### Product Features:

Dimensions	80 x 80 mm (W x H) (Remote wall panel)		
Colours	Black (RAL9005) (WP200/B)		
	White (RAL9003) (WP200/W)		
Front finish	Elegant ABS front panel with glass		
Accessories	Optional	Surface mount Installation boxes	WB200 - Surface mount wall box for WP & DWP series
		Flush mount Installation boxes	Flush mount box for 45 x 45 mm wall panel - Solid wall - WB45S/FS
			Flush mount box for 45 x 45 mm wall panel - Hollow wall - WB45S/FG

## Standards & regulations:

---

CE	LVD	Compliant to EN 62368
	EMC	Compliant to EN 55032, EN55024, EN 61000-3-2/3
CB		Compliant to IEC 62368
FCC		Part 15C
cTUVus		Compliant to IEC 62368+UL62368
RoHS		Compliant
Reach compliant		Compliant

## Variants:

---

- WP200/B - Black version
- WP200/W - White version

